

**Plot No** E/19, S. No 139/3 Near Roshal Garden, MIDC

Bhosari Pune Maharashtra: 411039

State Name: Maharashtra, Code: 27

Website: www.oceanoilskimmer.com / www.oilskimmer.co.in

Mobile No:- +91 8601607909 / +91 95652 19991 / +91 95652 18881
E mail :- Ocean.oilskimmer@gmail.com / Sales.oceanoilskimmer@gmail.com

Gst in :- 27BQCPV4831P1Z4 / An Iso 9001:2015 Certified Company

**Get Rid of Floating Oil...** 

Use Ocean Oil Skimmer & Save Water

We Manufacture Import Quality Oil Skimmer...

- > Type :- Belt type oil skimmer Use in CNC & VMC Machine Coolant Tank ...
- **► Model:- OOSB 50**





- ➤ Model:- OOSB 50
- > suitable for CNC & VMC Machine coolant Tank Other Application ..
- Specifications...
- ✓ Belt Width:- 50 mm
- ✓ MOC Belt Polystyrene
- ✓ Polystyrene is a **specialGrade** material.
- ✓ Polystyrene belt is capable
- ✓ To work in liquid temp. 100 Degree centigrade.
- ✓ Oil removal Capacity 4-5 LPH, Depending on the oil viscosity.
- ✓ Electrical Items: 25 WATTS / 230 VAC & 415 VAC , 3 phase & 1 phase , AC Geared Motor of suitable rpm
- ✓ Belt Type oil skimmer link on you tube. <a href="https://youtu.be/\_JqDqNbrEJg?si=0LK8oAZIYfusRQnw">https://youtu.be/\_JqDqNbrEJg?si=0LK8oAZIYfusRQnw</a>

- ✓ **Type:** Belt type oil skimmer Use in Hot liquid application like and Hotel kitchen & Washing machine & Degreasing tank etc...
- ✓ Model:- OOSBP 100





- **► Model:- OOSBP 100**
- Suitable for Hot liquid application and Hotel kitchen & Washing machine & Degreasing tank etc Other Application..
- > Specifications...
- ✓ Belt Width:- 100 mm
- ✓ MOC Belt Polystyrene
- ✓ Polystyrene is a **specialGrade** material.
- ✓ Polystyrene belt is capable to work in liquid temp. 100 Degree centigrade.
- ✓ Oil removal Capacity 7-8 LPH, **Depending on the site condition oil** viscosity.
- ✓ Electrical Items: 25 WATTS / 230 VAC & 415 VAC, 3 phase & 1 phase, AC Geared Motor of suitable rpm
- ✓ Belt Type oil skimmer link on you tube. https://youtu.be/llcLkJluUvA?si=kJHNm2WiGuvYZO\_U

✓ **Type :- Stainless Steel Belt type oil skimmer** Use in Hot liquid application like Washing machine & Degreasing tank etc...

✓ Model:- OOSBS 100





#### ➤ Model:- OOSBS 100

- > Suitable for :- hot liquid application like washing machine / degreasing tank etc...
- ➤ Slat Type Oil Skimmer with Heavy Duty Construction of follow.
- ➤ Belt Make-SS304
- ➤ Belt Width 100mm
- For cold liquid like coolants etc Other Application ..
- ➤ Subject to oil viscosity and site conditions Oil removal capacity. 6-7 LPH
- > skimmer may vary at the time of installation and runs
- ➤ 25 watts, 3 Phase, & 1 Phase, AC Heavy Duty Geared Motor of suitable rpm the motor is of reputed make.
- granted for continuous day perfect
- ► Slat Type oil skimmer link on you tube. https://youtu.be/VJMitNofxJ8?si=Zbla7e9HuNOSrBtC

- ✓ Type :- Belt type oil skimmer Use in Waste Water Or ETP & STP Tank ...
- ✓ Model: OOSB 65



# ► Model :- OOSB 65

- Suitable for ETP & STP & Chemical industry Other Application ..
- Specifications...
- ✓ Belt Width-: 65 MM
- ✓ Oil Removal Test :- Capacity 15-20 LPH
- ✓ Observation : 20 LPH Oil Removal Is **dependent** on oil layer and oil thickness.
- ✓ Electrical Items:- 25 WATTS / 230 VAC & 415 VAC, 3 phase & 1 phase, AC Geared Motor of suitable rpm
- ✓ **Imported polymer belts** are used for more **belt travel life** as well maximum oil removal.
- ✓ Optional oil concentrator removes any residual water picked up during skimming.
- ✓ Only oil flows into the discharge drum.
- ✓ Belt Type oil skimmer link on you tube. https://youtu.be/G52eT4Az0hI?si=CqY9x90DwWhEpoUh

- ✓ Type :- Belt type oil skimmer Use in Waste Water Or ETP & STP Tank .....
- ✓ Model :- OOSB 100



## Model:- OOSB 100

- Suitable for ETP & STP & Chemical industry Other Application ..
- Specifications...
- ✓ Belt Width-: 100 MM
- ✓ Oil Removal Test :- Capacity 30-35 LPH
- ✓ Observation: 35 LPH Oil Removal Is **dependent** on oil layer and oil thickness.
- ✓ Electrical Items :- A.C. Three Phase Geared Motor
- ✓ Rating: 0.25 H.P./0.18 KW , 415 VAC(+/- 10%) , 1440rpm,50Hz(+/- 5%) , TEFC , Worm Geared
- ✓ Motor MAKE SIEMENS OR as per PO and our specifications given and Approved by you.
- ✓ **Imported polymer belts** are used for more belt travel life as well maximum oil removal.
- ✓ Optional oil concentrator removes any residual water picked up during skimming.
- ✓ Only oil flows into the discharge drum.
- ✓ Belt Type oil skimmer link on you tube. https://youtu.be/G52eT4Az0hI?si=CqY9x90DwWhEpoUh

## Type:- Belt type oil skimmer Use in Waste Water Or ETP & STP Tank ...

#### Model:- OOSB 200






- **> Model :- OOSB 200**
- > Suitable for ETP & STP & Chemical industry Other Application ..
- Specifications...
- ✓ Belt Width-: 200 MM
- ✓ **Performance Tests :-** Oil removal Test: 50-60 LPH
- ✓ Observation :- 60 LPH Oil Removal Is **dependent on oil layer and oil thickness.**
- ✓ Electrical Items :- A.C. Three Phase Geared Motor
- ✓ Rating: 0.25 H.P./0.18 KW, 415 VAC(+/- 10%), 1440rpm,50Hz(+/- 5%), TEFC, Worm Geared
- ✓ Motor MAKE SIEMENS OR as per PO and our specifications given and Approved by you.
- ✓ Imported polymer belts are used for more belt travel life as well maximum oil removal.
- ✓ Optional oil concentrator removes any residual water picked up during skimming.
- ✓ Only oil flows into the discharge drum.
- ✓ Belt Type oil skimmer link on you tube. <a href="https://youtu.be/kzfxxQEQMvg?si=19Y6Bq0DrHkuiMwU">https://youtu.be/kzfxxQEQMvg?si=19Y6Bq0DrHkuiMwU</a>

✓ Type: Disc type oil skimmer Use in Degreasing tank & CNC & VMC Tank ...

✓ Model :- OOSD 440





- ➤ Used in:- Degreasing tank & CNC And VMC Machine & hot liquid Other Application ..
- ✓ SS304 Disc of Dia 440 **Depth:- 182.50 mm**
- ✓ Tray fitted with PU Wiper White
- ✓ SS 304 disc bush for sturdy disc holding
- ✓ Oil capacity 4-5 LPH, Depending on oil viscosity.
- ✓ Disc Type Oil Skimmer.(Steel MOC Disc): with decanter tray system suitable for Coolant Tank and Hot Liquid Applications like Degreasing tanks, Washing Machines.
- ✓ DISC TYPE OILSKIMMERS MODELS ..
- ➤ MODEL OOSD DISC 330 Disc Dia 330 mm (Depth 100mm)
- ➤ MODEL OOSD DISC 440 -Disc Dia 440 mm (Depth 182.50mm)
- ➤ MODEL OOSD SPLIT DISC 440 -SPLIT Disc Dia 440 mm (Depth 317mm)
- ➤ Disc Type oil skimmer link on you tube. <a href="https://youtu.be/ThmjL0os5C8?si=iSn3fj9PEly6z83q">https://youtu.be/ThmjL0os5C8?si=iSn3fj9PEly6z83q</a>

✓ Type :- Tube type oil skimmer Use in Steel Plant & Rolling Mills. Waste Water Or ETP & STP Tank .....

✓ Model :- Tube 20






## ✓ Model :- Tube 20

- ✓ Tube Type Oil skimmer with swivel arm mast for scale pit.
- ✓ Specially used in STEEL PLANT & ROLLING MILLS.
- ✓ Tube DIA. 18 MM
- ✓ Tube Speed- 30 MTR/MIN.
- ✓ Performance Tests: Oil removal Test: 100-135 LPH
- ✓ Observation :- 135 LPH Oil Removal Is dependent on oil layer and oil thickness.
- ✓ Electrical Items :- A.C. Three Phase Geared Motor
- ✓ Rating: 0.25 H.P./0.18 KW , 415 VAC(+/- 10%) , 1440rpm,50Hz(+/- 5%) , TEFC , Worm Geared
- ✓ Motor MAKE SIEMENS OR as per PO and our specifications given and Approved by you.
  - ✓ Main body MOC light weight engineering grade aluminum with epoxy painting. **Tube Type oil skimmer link on you tube.**

https://youtu.be/qfvum9XyNFY?si=M5dpj5jld51lcjnk https://youtu.be/D75\_cKq4pjU?si=po5WPuiY2Mipu8Gq

- ✓ Type :- Tube type oil skimmer Use in CNC And VMC Machine coolant Tank Other Application ...
- ✓ Model :- OOST 50T



- ✓ Model suitable for CNC & VMC Machine coolant Tank..
- Specifications-:
- ✓ Tube MOC Polyurethane.
- ✓ Water and Dust resistance.
- ✓ Oil removal Capacity 8-10 LPH, Depending on the oil viscosity.
- ✓ Electrical Items: 25 WATTS / 230 VAC & 415 VAC, 3 phase & 1 phase, AC Geared Motor of suitable rp
- ✓ Tube Type oil skimmer link on you tube :https://www.youtube.com/@OceanEnterprises26



WE MANUFACTURE VARIOUS TYPES OF OILSKIMMERS TO REMOVE FLOATING OIL FROM ----CNC MACHINES COOLANTS / DEGREASING TANKS & DEGREASING TANKS TANKS & DEGREASING TANKS TANKS & DEGREASING TANKS TANKS TANKS TANKS TO REMOVE FLOATING MILLS ETC. We recommend following guidelines to choose suitable Oil Skimmer for the particular application: Waste Water or ETP Application:







Type:- Belt Type Oil skimmer Waste Water Or ETP Application Used in ETP, STP & Chemical industry. BELT TYPE OILSKIMMERS MODELS MODEL OOSB 100 - Belt Width-: 100 MM Oil removal Capacity 35-40 LPH Imported polymer belts are used for more belt travel life as well maximum oil removal. Optional oil concentrator removes any residual water picked up during skimming. Only oil flows into the discharge drum. Belt Type oil skimmer link on you tube. https://youtu.be/G52eT4Az0hl?si=M2PO34IXOY4R152W









**Type:-** BELT TYPE OILSKIMMER Used in ETP, STP & Chemical Industry. Important polymer belts are used for more belt travel life as well maximum oil removal. Optional oil concentrator removes any residual water picked up during skimming. Only oil flows into the discharge drum. <a href="https://youtu.be/kzfxxQEQMvg?si=LtQagSjS0iEH0XST">https://youtu.be/kzfxxQEQMvg?si=LtQagSjS0iEH0XST</a>







Type:- Belt Type Oil skimmer Used in ETP, STP & Chemical industry. BELT TYPE OILSKIMMERS MODELS MODEL OOSB 200 - Belt Width-: 200 MM Oil removal Capacity 50-60 LPH Imported polymer belts are used for more belt travel life as well maximum oil removal. Optional oil concentrator removes any residual water picked up during skimming. Only oil flows into the discharge drum. Belt Type oil skimmer link on you tube. https://youtu.be/kzfxxQEQMvg?sieltQagSjS0EHOXST









Type:- Tube Type Oil skimmer with swivel arm mast for scale pit. Specially used in STEEL PLANT & ROLLING MILLS. Tube DIA. 18 MM Tube Speed- 30 MTR/MIN. Oil Removal Capacity- 100-120 LPH Main body MOC light weight engineering grade aluminum with epoxy painting. Tube Type oil skimmer link on you tube.





- **► Model:- OOSBP 100**
- Suitable for Hot liquid application and Hotel kitchen & Washing machine & Degreasing tank etc Other Application..
- Specifications...
- ✓ Belt Width:- 100 mm
- ✓ **Polystyrene** MOC Belt.
- ✓ Polystyrene is a **specialGrade** material.
- ✓ Polystyrene belt is capable to work in liquid temp. 100 Degree centigrade.
- ✓ Oil removal Capacity 7-8 LPH, **Depending on the site condition** oil viscosity.





Type:- Slat Type Oil Skimmer Suitable for hot liquid application like washing machinedegreasing tank etc... 2 Slat Type Oil Skimmer with Heavy Duty Construction of follow. 2 Specs. MODEL: OOSBS 100 2 Belt Make-SS304, Belt Width – 50mm – 100mm – 82mm 2 For cold liquid like coolants etc 2 10-12 LPH subject to oil viscosity and site conditions Oil removal capacity.



Type:- Disc Type Oil Skimmer Used in Degreasing Tank Washing Machines. & CNC Machines & VMC Machines Coolant Tank Disc Type Oil Skimmer (Steel MOC Disc SS 304):- with decanter Tray System Suitable for Coolant Tank and Hot Liquid Applications like Degreasing tank Washing Machines. <a href="https://youtu.be/Uh9MtLz8yS0?si=tyVYBVVCYKI0P1QC">https://youtu.be/Uh9MtLz8yS0?si=tyVYBVVCYKI0P1QC</a>





Type:- Disc Type Oil Skimmer Used in Degreasing Tank Washing Machines. & CNC Machines & VMC Machines Coolant Tank Disc Type Oil Skimmer (Steel MOC Disc SS 304):- with decanter Tray System Suitable for Coolant Tank and Hot Liquid Applications like Degreasing tank Washing Machines.



Type:- BELT TYPE OIL SKIMMERS MODEL OOSB 50 (SUITABLE FOR CNC & VMC MACHINE COOLANT APPLICATION LIKE) Belt MOC Polystyrene Oil Removal Capacity 4-5 lph Depending On the oil







Mr. Durgesh Vishwakarma

Dir./design Engg.

**Mobile no:-** +91 6393414442

**☑**Email ID: <u>sales.oceanoilskimmer@gmail.com</u>

Website :- www.oceanoilskimmer.com

Office ... Mrs. Aditi

**Mobile no :- +91 8601607909** 

**☑**Email ID :- ocean.oilskimmer@gmail.com Website :- www.oceanoilskimmer.com

Mr. Ravi Kumar

Dir./Mkt.Exec. & Dir./M

**Mobile no. : +91 95652 19991 / 18881** 

**☑** Email ID:- <u>ravi.oilskimmer@gmail.com</u>

Website:- www.oilskimmer.co.in